



## Safety Data Sheet dated 28/5/2020, version 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name:

#### EMEROD Protection anti-rongeurs

- **1.2. Relevant identified uses of the substance or mixture and uses advised against** Recommended use:
  - Professional use Uses advised against: Do not use for purposes other than those stated in "Recommended uses"

#### 1.3. Details of the supplier of the safety data sheet

Company: Lodi Group - Parc d'Activités des Quatre Routes 35390 Grand Fougeray - France Tel 0033 (0) 2.99.08.48.59 Competent person responsible for the safety data sheet: fds@lodi.fr

#### 1.4. Emergency telephone number

European Emergency phone number : 112

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.

Warning, Eye Irrit. 2, Causes serious eye irritation.

Warning, STOT SE 3, May cause drowsiness or dizziness.

Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements:



## Safety Data Sheet

## **EMEROD Protection anti-rongeurs**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. Special Provisions:

None

Contains

propan-2-ol; isopropyl alcohol; isopropanol

Special provisions according to Annex XVII of REACH and subsequent amendments: None

## 2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazards

**SECTION 2: Hazards identification** 

The product catches fire with extreme ease, even at temperatures below 0 °C.

If brought into contact with the eyes, the product causes considerable irritation which can last for over 24 hours.

Vapours of the product may cause drowsiness and dizziness.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not available

## 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb	per	Classification
>= 50% - < 100%	propan-2-ol; isopropyl alcohol; isopropanol	Index number: CAS: EC:	603-117-00-0 67-63-0 200-661-7	<ul> <li>2.6/2 Flam. Liq. 2 H225</li> <li>3.3/2 Eye Irrit. 2 H319</li> <li>3.8/3 STOT SE 3 H336</li> </ul>
>= 10% - < 25%	butane	Index number: CAS: EC:	601-004-00-0 106-97-8 203-448-7	
>= 2.5% - < 10%	propane	Index number: CAS: EC:	601-003-00-5 74-98-6 200-827-9	2.2/1 Flam. Gas 1 H220

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.



Safety Data Sheet

## **EMEROD Protection anti-rongeurs**

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

Seek medical attention if ill effect or irritation develops

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

Seek medical attention if ill effect or irritation develops

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

Rinse mouth

Do not induce vomiting.

Immediately consult a physician and show the label.

#### In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest. Assure fresh air breathing

**4.2. Most important symptoms and effects, both acute and delayed** None

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

Consult a physician and show the label

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: CO2 or Dry chemical fire extinguisher. Extinguishing media which must not be used for safety reasons: None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Remove all sources of ignition. Remove persons to safety. See protective measures under point 7 and 8.



#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

Rapidly recover the product. To do so, wear a mask and protective clothing. Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Suitable material for taking up: absorbing material, organic, sand

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Do not expose to temperature exceeding 50 ° C

Store in a dry, well ventilated place

Recommendations applicable to warehouses and reserves storing aerosols.

It is recommended to denormalize aerosols in the stock. The "spray" area should be delimited either with a metal mesh (mesh of 5cm maximum), forming a cage or using walls, to avoid projections of aerosols which may ignite the rest of the stock.

Do not smoke

To reduce the risk of falls, pallets should be positionned as close to the floor. ensure that those lower layers are not crushed (risk of leaks by compression).

It is recommended to ventilate the area and not store any sprays near heat sources, including direct sunlight, and use the fire procedure in case of works.

Store away from: open flame, direct sunlight, sparks, heat.

Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

## 7.3. Specific end use(s)

None in particular

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0



ACGIH - TWA(8h): 200 ppm - STEL: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair butane - CAS: 106-97-8 ACGIH - STEL: 1000 ppm - Notes: (EX) - CNS impair propane - CAS: 74-98-6 ACGIH - Notes: (D, EX) - Asphyxia **DNEL Exposure Limit Values** Not available **PNEC Exposure Limit Values** Not available 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: Provide skin protection adapted to the conditions of use Protection for hands: Nitrile gloves Respiratory protection: When ventilation is unsufficient, wear appropriate respiratory apparatus Thermal Hazards: Keep away from heat and direct sunlight. Keep away from sources of ignition - No Smoking. Keep away from souces of ignition, heat and direct sunlight Environmental exposure controls: None Appropriate engineering controls: None

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid		
Odour:	Mint		
Odour threshold:	Not available		
pH:	7.00		
Melting point / freezing point:	Not available		
Initial boiling point and boiling range:	Not available		
Flash point:	Not available		
Evaporation rate:	Not available		
Solid/gas flammability:	Not available		
Upper/lower flammability or explosive limits:	Not available		
Vapour pressure:	Not available		
Vapour density:	Not available		
Relative density:	0.80		
Solubility in water:	Insoluble		
Solubility in oil:	Not available		
Partition coefficient (n-octanol/water):	Not available		



Auto-ignition temperature:	Not available	 
Decomposition	Not available	 
temperature:		
Viscosity:	Not available	 
Explosive properties:	Not available	 
Oxidizing properties:	Not available	 

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not available		
Fat Solubility:	Not available		
Conductivity:	Not available		
Substance Groups relevant properties	Not available		

#### **SECTION 10: Stability and reactivity**

- **10.1. Reactivity** Stable under normal conditions
- **10.2. Chemical stability** Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- **10.4. Conditions to avoid** Stable under normal conditions.
- 10.5. Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

10.6. Hazardous decomposition products

None.

## **SECTION 11: Toxicological information**

#### **11.1. Information on toxicological effects**

Toxicological information of the product: Not available

Toxicological information of the main substances found in the product:

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

a) acute toxicity:

Test: LD50 - Route: oral - Species: Rat : = 4700-5500 mg/Kg

Test: LC50 - Route: Inhalation - Species: Rat : = 46-73 mg/L - Duration: 4h

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;

f) carcinogenicity;



- g) reproductive toxicity;h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0 a) Aquatic acute toxicity: Endpoint: LC50 Fish >= 9640-10400 mg/L - Duration h: 96

Endpoint: EC50 Daphnia = 2285-13299 mg/L - Duration h: 48

- 12.2. Persistence and degradability Not available
- 12.3. Bioaccumulative potential Not available
- **12.4. Mobility in soil** Not available
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

## **SECTION 14: Transport information**

<b>14.1. UN number</b> ADR-UN number:	1950	
14.2. UN proper shipping name ADR-Shipping Name:	UN1950 AEROSOLS, 2.1, 5F, (D)	
<b>14.3. Transport hazard class(es)</b> ADR-Class: ADR-Label: IATA-Class:	2 2.1 - 9 2	
<b>14.4. Packing group</b> ADR-Packing Group: IATA-Packing group:	F F	
14.5. Environmental hazards		
<b>14.6. Special precautions for user</b> ADR-Transport category (Tunnel restriction code): D		



Rail (RID):Classe 2, Groupe FIATA-Passenger Aircraft:203IATA-Cargo Aircraft:203

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not available

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/699 (ATP 11 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restriction 40 Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: P3a

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H220 Extremely flammable gas.



Hazard class and hazard category	Code	Description
Flam. Gas 1	2.2/1	Flammable gas, Category 1
Aerosols 1	2.3/1	Aerosol, Category 1
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

This safety data sheet has been completely updated in compliance to Regulation 2015/830. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aerosols 1, H222+H229	On basis of test data
Eye Irrit. 2, H319	Calculation method
STOT SE 3, H336	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
CSR:	Chemical safety report
DNEL:	Derived No Effect Level.
EC50:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.



LC50: LD50: N.A.:	Lethal concentration, for 50 percent of test population. Lethal dose, for 50 percent of test population. Not available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
UN:	United Nations
WGK:	German Water Hazard Class.