

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06  
Version: 1.0

Page: 1/9  
(30482337/SDS\_GEN\_US/EN)

---

### 1. Identification

**Product identifier used on the label**

**IRON CHELATE 7%**

**Recommended use of the chemical and restriction on use**

Recommended use\*: Micronutrient

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

**Emergency telephone number**

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

**Other means of identification**

---

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

**Classification of the product**

No need for classification according to GHS criteria for this product.

**Label elements**

The product does not require a hazard warning label in accordance with GHS criteria.

**Hazards not otherwise classified**

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06  
Version: 1.0

Page: 2/9  
(30482337/SDS\_GEN\_US/EN)

### Labeling of special preparations (GHS):

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Emergency overview

##### CAUTION:

Contains trisodium nitrilotriacetic acid. Nitrilotriacetic acid (NTA) and its salts are classified as carcinogens in animals by NTP and IARC based on findings of urinary tract tumors in rats and mice in chronic feeding studies, thus they are suspect carcinogens in humans. The primary route of exposure of NTA is through inhalation of powdered dust, therefore risk to human health is further minimized by using liquid forms of products containing NTA. Based on the high doses and exposure conditions required to cause tumors in animals and low concentration of trisodium nitrilotriacetic acid present, we do not believe that exposure to this product under normal working conditions poses a human cancer risk.

Inhalation may cause respiratory irritation.

Causes eye irritation.

Refer to MSDS Section 7 for Dust Explosion information.

### 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
5064-31-3	3.0 %	trisodium nitrilotriacetate

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06

Version: 1.0

Page: 3/9

(30482337/SDS\_GEN\_US/EN)

Seek medical attention.

### **If swallowed:**

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: No significant symptoms are expected due to the non-classification of the product.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
carbon dioxide, dry powder, foam, water spray

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:  
combustible toxic substances

### **Advice for fire-fighters**

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### **Further information:**

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

---

## **6. Accidental release measures**

### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### **Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Use personal protective clothing.

### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

### **Methods and material for containment and cleaning up**

Nonsparking tools should be used.

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06  
Version: 1.0

Page: 4/9  
(30482337/SDS\_GEN\_US/EN)

---

### 7. Handling and Storage

#### Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

#### Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Dust explosion class: none.

#### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

---

### 8. Exposure Controls/Personal Protection

#### Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

#### Personal protective equipment

##### Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

##### Hand protection:

Chemical resistant protective gloves

##### Eye protection:

Safety glasses with side-shields.

##### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

##### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

---

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06  
Version: 1.0

Page: 5/9  
(30482337/SDS\_GEN\_US/EN)

### 9. Physical and Chemical Properties

Form:	free flowing fine granules	
Odour:	mild	
Colour:	orange	
pH value:	4 - 7	( 20 g/l)
Melting point:		The substance / product decomposes therefore not determined.
Boiling point:		not applicable
Flash point:		not applicable
Flammability:	not readily ignited	
Lower explosion limit:		not applicable
Upper explosion limit:		not applicable
Autoignition:	> 500 °C	(BAM)
Vapour pressure:	< 0.000001 hPa	( 25 °C)
Bulk density:	600 - 900 kg/m <sup>3</sup>	
Partitioning coefficient n-octanol/water (log Pow):	-8.841	( 25 °C) (calculated) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Self-ignition temperature:		not self-igniting
Viscosity, dynamic:		not applicable
Particle size:		(measured)
% volatiles:		not determined
Solubility in water:	approx. 150 g/l	( 20 °C)

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:  
not fire-propagating

Dust explosivity characteristics:  
Kst:  
Kst:

Dust explosion class:  
none (none)

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

#### Conditions to avoid

Avoid extreme temperatures.

#### Incompatible materials

strong oxidizing agents, strong bases, strong acids

#### Hazardous decomposition products

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06  
Version: 1.0

Page: 6/9  
(30482337/SDS\_GEN\_US/EN)

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

---

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Primary routes of entry

Skin

Eyes

Inhalation.

Ingestion.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

##### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

##### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

##### Skin

No data available concerning skin-irritating effects.

##### Eye

not determined

##### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

#### Chronic Toxicity/Effects

##### Genetic toxicity

Assessment of mutagenicity: No data was available concerning mutagenic activity.

##### Carcinogenicity

Assessment of carcinogenicity: Contains Nitriilotriacetic acid and its salts. Nitriilotriacetic acid is listed by IARC as a possible human carcinogen.

The following component(s) in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA, or ACGIH as a carcinogen.

##### Reproductive toxicity

Assessment of reproduction toxicity: No data available.

##### Teratogenicity

Assessment of teratogenicity: No data available.

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06  
Version: 1.0

Page: 7/9  
(30482337/SDS\_GEN\_US/EN)

---

### Other Information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

### **Symptoms of Exposure**

No significant symptoms are expected due to the non-classification of the product.

---

## 12. Ecological Information

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish

LC50 > 100 mg/l

### **Persistence and degradability**

Assessment biodegradation and elimination (H2O)

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

### **Bioaccumulative potential**

Bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

### **Mobility in soil**

Assessment transport between environmental compartments

No data available.

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Dispose of in accordance with national, state and local regulations.

### **Container disposal:**

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

**RCRA:**

# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06

Version: 1.0

Page: 8/9

(30482337/SDS\_GEN\_US/EN)

Not a hazardous waste under RCRA (40 CFR 261).

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

#### VOC content:

not determined

#### Federal Regulations

##### Registration status:

Chemical TSCA, US released / listed

##### EPCRA 311/312 (Hazard categories):

Acute; Chronic

#### CERCLA RQ

10 LBS

#### CAS Number

143-33-9

#### Chemical name

Sodium Cyanide

#### State regulations

##### State RTK

MA

##### CAS Number

5064-31-3

##### Chemical name

trisodium nitrilotriacetate

#### CA Prop. 65:

There are no listed chemicals in this product.

#### NFPA Hazard codes:

Health : 1 Fire: 1 Reactivity: 0 Special: -

#### HMIS III rating

Health: 1<sup>sq</sup> Flammability: 1 Physical hazard: 0

### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2015/03/06



# Safety Data Sheet

## IRON CHELATE 7%

Revision date : 2015/03/06

Version: 1.0

Page: 9/9

(30482337/SDS\_GEN\_US/EN)

---

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Librel® Fe-DP is a registered trademark of BASF Corporation or BASF SE  
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Due to the merger of CIBA and BASF Group all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us at the address mentioned in Section I.

END OF DATA SHEET