

## NITREX VE803



NITRILE GLOVE - LENGTH 33 CM

Αναφ. VE803



### Χαρακτηριστικά προϊόντος

Nitrile on interlock cotton lining. Length: 33 cm. Thickness: 0,85 mm.

Support: 100% interlock cotton.

Coating: 100% nitrile.

Tested according to EN374-3:2003 determination of permeation resistance, levels of permeation from 1 to 6 (K : Sodium hydroxyde 40% (NaOH ) = 6, L: sulphuric acid (96%) =3, J : n-Heptane = 6).

#### COLOUR

Green

#### SIZE

9/10, 10/11

## Χρήσεις προϊόντος - Ρίσκα



BIOLOGICAL



Wearing



CHEMICAL



PARTICULES



Construction / Civil engineering



Heavy industry



Oil / Gas



Mining

**CHEM D-FINDER**



## Τα + προϊόντα - Οφέλη χρήση



0%  
SILICONE  
LATEX



Cut cotton interlock stitched

Absorption of perspiration and moisture for improved comfort in everyday life



Textured structure

Good grip of handled objects

Maximum abrasion performance

Increased lifespan

Πιστοποιήσεις - Πρότυπα



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements  
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)  
4: Resistance to abrasion (from 1 to 4)  
0: Resistance to cutting (from 1 to 5)  
1: Resistance to tear (from 1 to 4)  
1: Resistance to puncture (1 to 4)  
X: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.





- A 2 > 30 mn: Méthanol (A) CAS 67-56-1
- J 6 > 480 mn: n-Heptane (J) CAS 142-85-5
- K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2
- L 3 > 60 mn: Sulphuric acid 96 % (L ) CAS 7664-93-9
- M 2 > 30 mn: Nitric acid 65% (M) CAS 7697-37-2
- N 3 > 60 mn: Acetic acid 99% (N) CAS 64-19-7
- O 4 > 120 mn: Ammonium hydroxide 25% (O) CAS 1336-21-6
- P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1
- T 6 > 480 mn: Formaldehyde 37% (T) CAS 50-00-0

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks.

BACTERIA + FUNGI : BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



Αναφορές

Αναφορές	Μπάρα κωδικών	COLOUR	SIZE		
VE803VE09	3295249187699	Green	9/10	60	12
VE803VE10	3295249187705	Green	10/11	60	12