Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 2015/830. - Greece

Date of issue/ Date of revision : Date of previous issue : Version :

: 28.04.2020 : 06.11.2018 : 4.0



SAFETY DATA SHEET

NPK 11-15-15 + 15SO3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	
Product code	
Product type	

: NPK 11-15-15 + 15SO3

: PF40PG

: Solid (Granular solid.)

<u>1.2</u> Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Industrial distribution.
Industrial USE to formulate chemical product mixtures.
Professional formulation of fertiliser products.
Professional USE as fertiliser at Farm - loading and spreading.
Professional USE as fertiliser in Greenhouse.
Professional USE as liquid fertiliser in open field.
Professional USE as fertiliser - maintenance of equipment.

Uses advised against	: Other non-specified industry
Reason	 Due to lack of related experience or data, the supplier cannot approve this use.

1.3 Details of the supplier of the safety data sheet

		Yara Hellas S.A.
Address		
Street	:	Syngrou Avenue
		Nea Smyrni
Number		143
Postal code		17121
City		Athens
Country		Greece
Telephone number		+30 210 9370355
Fax no.		+30 210 9370357
e-mail address of person	:	info.hellas@yara.com
responsible for this SDS		

<u>1.4 Emergency telephone number</u>

National advisory body/Poison Center

1	Κέντρο Δηλητηριάσεων Ελλάδας /Poison Information
	Centre
1	2107793777
:	1401
:	24h
1	+30 2111 983 182 (7/24)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture.

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification

: Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms	:		
Signal word		: Wa	rning
Hazard statements	:	H319	Causes serious eye irritation.
Precautionary statements			
Prevention Response	:	P280-a P264-a P305 P351 P338 P337 P313-a	Wear eye protection. Wash hands thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
EU Regulation (EC) No. <u>1907/2006 (REACH) Annex XVII</u> <u>- Restrictions on the</u> <u>manufacture, placing on the</u> <u>market and use of certain</u> <u>dangerous substances,</u>	:	Applicable,	Table 65.
Date of issue : 28.04.2020			Page:2/19

mixtures and articles

Special packaging requirements

Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Other hazards which do not result in classification	:	Product forms slippery surface w

when combined with water.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

ŝ, Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
potassium nitrate	RRN: 01-2119488224- 35 EC: 231-818-8 CAS : 7757-79-1	>= 25 - < 30	Ox. Sol. 3, H272	[1]
ammonium chloride	RRN: 01-2119489385- 24 EC: 235-186-4 CAS : 12125-02-9 Index: 017-014-00-8	>= 15 - < 20	Acute Tox. 4, H302 Eye Irrit. 2, H319	[1] [2]
Calcium fluoride (CaF2)	RRN: 01-2119491248- 30 EC: 232-188-7 CAS : 7789-75-5	>=1-<2	Not classified.	[2]
amines, hydrogenated tallow alkyl	RRN: 01-2119473799- 15 EC: 262-976-6 CAS: 61788-45-2 Index: 612-284-00-9	>= 0,01 - < 0,1	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 M-factor : 10 - AQUATIC HAZARD (ACUTE), 10 - AQUATIC HAZARD (LONG-TERM),	[1]

<u>Type</u>

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Rinse with plenty of running water. Check for and remove any contact lenses. If irritation persists, get medical attention.	
Inhalation	:	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Skin contact	:	Wash with soap and water. Get medical attention if irritation develops.	
Ingestion	:	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.	
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.	
4.2 Most important symptoms a	nd e	effects, both acute and delayed	
Over-exposure signs/symptoms	<u>s</u>		
Eye contact	:	Adverse symptoms may include the following: pain or irritation, watering, redness	
Inhalation		No specific data.	
Skin contact	1	No specific data.	
Ingestion	:	No specific data.	
4.3 Indication of any immediate medical attention and special treatment needed			
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Specific treatments	:	No specific treatment.	

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	1	Use flooding quantities of water for extinction.
Unsuitable extinguishing media	:	Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand.
5.2 Special hazards arising from	the	substance or mixture
Hazards from the substance or mixture	:	No specific fire or explosion hazard.
Hazardous combustion products	:	Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for co	onta	inment and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Date of issue : 28.04.2020 Page:5/19

Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Not for human or animal consumption.

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

7.3 Specific end use(s)

Recommendations

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
ammonium chloride	Ministry of Labour and Social Affairs (1999-05-01) TWA 10 mg/m3 Form: Fume
	STEL 20 mg/m3 Form: Fume
Calcium fluoride (CaF2)	Ministry of Labour and Social Affairs (1999-05-01)TWA 2,5 mg/m3 (as F)
Recommended monitoring procedures	 If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredie nt name	Туре	Exposure	Value	Population	Effects
ammonium chloride	DNEL	Long term Dermal	128,9 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	43,97 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	55,2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	9,4 mg/m³	Consumers	Systemic
	DNEL	Long term Oral	55,2 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Oral	55,2 mg/kg bw/day	Consumers	Systemic
Calcium fluoride (CaF2)	DNEL	Long term Inhalation	5 mg/m³	Workers	Systemic
amines, hydrogenated tallow alkyl	DNEL	Long term Inhalation	0,38 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	0,09 mg/kg bw/day	Workers	Systemic

PNECs

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail	Detail	
Date of issue : 28.04.20	20			Page:7/19		

potassium nitrate	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors
ammonium chloride	PNEC	Fresh water	0,25 mg/l	Assessment Factors
	PNEC	Marine water	0,025 mg/l	Assessment Factors
	PNEC	Intermittent release	0,43 mg/l	Assessment Factors
	PNEC	Soil	50,7 mg/kg dwt	Assessment Factors
Calcium fluoride (CaF2)	PNEC	Fresh water	0,9 mg/l	Assessment Factors
	PNEC	Soil	11 mg/kg dwt	Assessment Factors
	PNEC	Sewage Treatment Plant	51 mg/l	Assessment Factors
amines, hydrogenated tallow alkyl	PNEC	Fresh water	0,26 µg/l	Assessment Factors
	PNEC	Marine water	0,026 µg/l	Assessment Factors
	PNEC	Sewage Treatment Plant	550 µg/l	Assessment Factors
	PNEC	Fresh water sediment	179,4 µg/kg dwt	Equilibrium Partitioning
	PNEC	Marine water sediment	17,94 µg/kg dwt	Equilibrium Partitioning
	PNEC	Soil	10 mg/kg dwt	Assessment Factors

8.2 Exposure controls

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measures Hygiene measures	:	A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended : Tightly-fitting goggles, CEN: EN166,
Skin protection Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the
Date of issue : 28.04.2020		Page:8/19

glove material.

Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Personal protective equipment (Pictograms)	:	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

10	Solid (Granular solid.)
10	Gray., Off-white., Beige.,
10	Odorless.
10	Not determined.
10	Not determined
1	Not determined
1	Not determined
10	Not determined
1	Not determined
1	Non-flammable.
10	Lower: Not determined
	Upper: Not determined
10	Not determined
10	Not determined
10	Not determined
10	Not determined
10	Not determined
10	Not determined
1	Dynamic: Not determined.
	Kinematic:Not determined.
:	Non-explosive.
1	None

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid contamination by any source including metals, dust and organic materials.
10.5 Incompatible materials	:	alkalis combustible materials, reducing materials, organic materials, Acids
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredie nt name	Method	Species	Result	Exposure	References
potassium nitrate					
	LD50 Oral	Rat	2.000 - 5.000 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5.000 mg/kg	Not applicable.	CSR
ammonium chloride	e				
	LD50 Oral	Rat	1.410 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5.000 mg/kg	Not applicable.	IUCLID
Calcium fluoride (C	aF2)				
	LD50 Oral	Rat	> 2.000 mg/kg	Not applicable.	ICULID 5
	OECD 403 LC50 Inhalation	Rat	5,07 mg/l	4 h	ICULID 5

Conclusion/Summary

: No known significant effects or critical hazards.

Acute toxicity estimates

Route	ATE value
Oral	8.443,1 mg/kg

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
potassium nitrate					

Date of issue : 28.04.2020

	OECD 404 Skin	Rabbit	Non- irritating.		IUCLID 5
ammonium chloride					
	Eyes	Rabbit	Irritant		CSR
Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	y : : :	Causes seriou	is eye irritation	or critical hazards. or critical hazards.	
Conclusion/Summar Skin Respiratory	y :	•		or critical hazards or critical hazards	
<u>Mutagenicity</u> Conclusion/Summary	y :	No known sigi	nificant effects	or critical hazards.	
Carcinogenicity					
Conclusion/Summar	y :	No known sigi	nificant effects	or critical hazards.	

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
ammonium chloride					
	Oral	Rat	Fertility effects- Negative Developmental- Negative 1500 mg/kg bw/day	-	IUCLID 5

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
amines, hydrogenated tallow alkyl	Category 2	Not determined	Not determined

Aspiration hazard

Product/ingredient name			Result
amines, hydrogenated tallow alkyl			ASPIRATION HAZARD - Category 1
Information on the likely routes of exposure:	:	Not availab	le.
Potential acute health effects			
Inhalation	:		o decomposition products may cause a health rious effects may be delayed following
Ingestion	:	Irritating to	mouth, throat and stomach.
Date of issue : 28.04.2020			Page:11/19

Skin contact	:	No known significant effects or critical hazards.
Eye contact	:	Causes serious eye irritation.
Symptoms related to the physi	cal, c	chemical and toxicological characteristics
Inhalation Ingestion Skin contact Eye contact	:	No specific data. No specific data. No specific data. Adverse symptoms may include the following: pain or irritation, watering, redness
	and	also chronic effects from short and long term exposure
<u>Short term exposure</u> Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.
Long term exposure Potential immediate effects	:	No known significant effects or critical hazards.
Potential delayed effects	:	No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure	References
ammonium chloride					
	Sub-chronic NOAEL Oral	Rat	1.695 mg/kg	13 weeks Repeated dose; 7 days per week	CSR
Carcinogenicity	:	No known si	gnificant effects or	critical hazards	
Mutagenicity	:	No known si	gnificant effects or	critical hazards	
Fertility effects	:	No known si	gnificant effects or	critical hazards	
Developmental eff	ects :	No known si	gnificant effects or	critical hazards	
Effects on or via la	actation :	No known si	gnificant effects or	critical hazards	
Other effects	:	No known si	gnificant effects or	critical hazards	
Other information	:	Not available	э.		

SECTION 12: Ecological information

12.1 Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
potassium nitrate					
	OECD 203 Acute LC50	Fish	> 100 mg/l	96 h	CSR
Date of issue : 28	3.04.2020				Page:12/19

	Fresh water				
	Acute EC50	Daphnia	490 mg/l	48 h	CSR
	Fresh water				
	Acute EC50	Algae	> 1.700 mg/l	240 h	CSR
	Fresh water				
ammonium chlor	ide				
	OECD 202	Daphnia	136,6 mg/l	48 h	CSR
	Acute EC50				
	Fresh water				
	Acute EC50	Algae	1.300 mg/l	5 d	CSR
	Fresh water				
Calcium fluoride	(CaF2)				
	Acute EC50	Water flea	26 mg/l	96 h	IUCLID 5
	Fresh water				
	Acute EC50	Water flea	10,5 mg/l	96 h	IUCLID 5
	Marine water				
	Acute EC50	Algae	43 mg/l	96 h	IUCLID 5
	Fresh water				
	Acute EC50	Algae	81 mg/l	96 h	IUCLID 5
	Marine water		_		
amines, hydroge	nated tallow alkyl				
	Acute EC50	Daphnia	0,13 mg/l	72 h	

Conclusion/Summary

No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary

: No known significant effects or critical hazards.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
ammonium chloride	-3,2	Not applicable.	low
Conclusion/Summary	: No known significant effects or critical hazards.		

12.4 Mobility in soil

Soil/water partition coefficient (KOC) Mobility		Not available. Not available.
12.5 Results of PBT and vPvB a	sses	sment
PBT	1.1	Not applicable

2

1 BT	· Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects :

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product		
Methods of disposal	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	1	Yes.

European waste catalogue (EWC)

Waste code		Waste designation
06 10 02*		wastes containing hazardous substances
Packaging		
Methods of disposal	wh Inc rec ren ma	e generation of waste should be avoided or minimized erever possible. Waste packaging should be recycled. ineration or landfill should only be considered when cycling is not feasible. Empty the bag by shaking to nove as much as possible of its contents. Empty bags by be disposed of as non-hazardous material or urned for recycling.
Special precautions	saf Ca tha Em res Ave	is material and its container must be disposed of in a re way. re should be taken when handling emptied containers at have not been cleaned or rinsed out. hpty containers or liners may retain some product idues. oid dispersal of spilled material and runoff and contact h soil, waterways, drains and sewers.

SECTION 14: Transport information

Not regulated. Not applicable.
Not applicable.
Not applicable.
Not applicable.
No.

Regulation: ADN		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	

Additional information	
Danger code	: Not applicable.
Regulation: IMDG	
Regulation. INDO	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information <u>Marine pollutant</u>	: No.
14.6 Special precautions for user	Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	Not applicable.
14.8 IMSBC	
Bulk cargo shipping name	: AMMONIUM NITRATE BASED FERTILIZER (non- hazardous)

Class: Not applicable.Group: CMarpol V: Non-HME

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV: None of the components are listed.

Substances of very high concern: None of the components are listed.

EU Regulation (EC) No.	:	Applicable, Table 65.
1907/2006 (REACH) Annex XVII		
- Restrictions on the		

<u>manufacture, placing on the</u> <u>market and use of certain</u> <u>dangerous substances,</u> <u>mixtures and articles</u> <u>Other EU regulations</u> Europe inventory Industrial emissions (integrated pollution prevention and control) - Air	:	All components are listed or exempted. Listed	
Ozone depleting substances (1005/2009/EU) None of the components are listed.			
Prior Informed Consent (PIC) (649/2012/EU) None of the components are listed.			
Seveso Directive This product is not controlled under the Seveso Directive.			
Other regulations	:	This product is subject to Regulation (EU) 98/2013, all suspicious transactions, disappearances and thefts should be reported to the relevant authority.	
National regulations			
Biocidal products regulation	:	Not applicable.	
Notes	:	To our knowledge no other country or state specific regulations are applicable.	
15.2 Chemical Safety Assessment	:	Complete.	

SECTION 16: Other information

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative bw = Body weight
Key data sources	:	EU REACH ECHA/IUCLID5 CSR. National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances. Sphera Solutions Inc., 4777 Levy Street, St Laurent,
Date of issue : 28.04.2020		Page:16/19

Quebec HAR 2P9, Canada. Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Ox. Sol. 3, H272	OXIDIZING SOLIDS - Category 3
Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4
Asp. Tox. 1, H304	ASPIRATION HAZARD - Category 1
Skin Irrit. 2, H315	SKIN CORROSION/IRRITATION - Category 2
Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
STOT RE 2, H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED
	EXPOSURE) - Category 2
Aquatic Acute 1, H400	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 1, H410	AQUATIC HAZARD (LONG-TERM) - Category 1

Revision comments		The following sections contain new and updated information: 2, 3, 8, 11.	
Date of printing	:	08.03.2021	
Date of issue/ Date of revision	:	28.04.2020	
Date of previous issue	:	06.11.2018	
Version	:	4.0	
Prepared by	:	Yara Chemical Compliance (YCC).	
Indicates information that I	Indicates information that has changed from previously issued version.		

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.



Annex to the extended Safety Data Sheet (eSDS) -Exposure Scenario/Safe Use Information:

Identification of the sub Product definition	sta :	n ce or mixture Mixture
Product name	:	NPK 11-15-15 + 15SO3
Exposure Scenario/Safe Use Information	:	Exposure Scenarios are not attached for corrosive or irritant hazards, relevant information on safe use is included in section 8.

NPK 11-15-15 + 15SO3